LEDURE

Lights Change Toh Vibe Change



Luminaries Price List

w.e.f. 1st April'26

BEYOND INNOVATION

LEDURE Lights Illuminate with Style & Reliability

THE HEART OF QUALITY A Glimpse into Our Manufacturing Facility


Manufacturing Unit


SMT Machine


Testing Facility


Driver Section


Reflow Oven


Laser Cutting


Assembly Line


Warehouse

ENSURING STANDARDS LEDURE's Commitment to Quality

RoHS compliant

CE

MSME

NABL

NSIC

Bureau of Indian Standards

ISO 9001:2015

DRIVEN BY QUALITY Our Trusted Partnership

bridgelux.

CITIZEN.



At **LEDURE**, every day is a step toward a brighter, more sustainable future. Welcome to the world of LEDURE, where innovation meets elegance and efficiency. Discover our vast selection of stylish, energy-efficient LED lights, crafted for both indoor and outdoor environments.

Each **LEDURE** product reflects our unwavering commitment to excellence. Years of dedicated research and innovation have resulted in LED lights that are as visually stunning as they are high-performing. Our products, designed by internationally trained experts and rigorously tested, are built to last and impress.



STATE-SPONSORED ENDEAVORS

Successfully Supplied & Installed in Government Projects

50000+ CANOPY LIGHTS	**70000+** STREET LIGHTS	**100000+** FLOOD LIGHTS	**10000+** HIGH MAST LIGHTS	**50000+** FLAME PROOF LIGHTS	**50000+** CEILING PANELS	**800000+** SMART LED TUBELIGHTS

Clients

HP · ONGC · IndianOil · GAIL · Bharat Petroleum · Oil India Limited · SAIL · NTPC · DRDO · Airports Authority of India · NALCO · HAL · ISRO · BHEL · Nature · Empowering India · Enabling Life · NPCIL · ST REGIS Hotels & Resorts · BAIN & Company · Mohanlal Sons · OYO · HUAWEI · BCG Boston Consulting Group · SAMSUNG · Castrol · HDB Financial Services · Canara Bank · AMU · DELTECH

and many more..

LEDURE

Table of Contents

01

Halo Downlight 

Primus Downlight 

02

Air Downlight 

Prime Downlight 

03

Prime Surface 

04

Wave Panel 

Wave Surface 


05

Air Surface COB 

Revv Spot 

06

Gracia Surface COB 

Grace Surface COB 

Elite Surface Spot 

07

Lazer Blade Plus 

Lazer Blade 

08

Air COB 

Classic COB 

Table of Contents

LEDURE

09 Elite COB  Aura COB  Grace COB 

10 Round COB  Astral COB 

11 Legend COB  Crystal COB  Square COB 

12 Zoom COB  Focus Spot 

13 Focus Track  Evo Track 

14 Ceiling Downlight  Zyra Linear  Skyline Linear 

15 Divine DC Strip  Vera Strip 

16 SMPS Driver  Constant Current Driver 

LEDURE

Table of Contents

17 Dimmable Driver  Viva Table Lamp 

18 Prism Mirror Light  Acro Picture Light  Willow Bedside 

19 Coral Light  Zyro Bulkhead  Alpha Step Light 

20 Updown Plus  Updown 

21 Spike Light  Aria Bollard  Neon Rope Light 

22 Halo Floodlight  Terra Floodlight 

23 Lego Floodlight  Stylo Floodlight  Blaze Wall Washer 

24 Halo Streetlight  Spectra Streetlight  Oasis Streetlight 

Table of Contents

LEDURE

25 Stellar Streetlight  Stylo Streetlight 

26 Curvy Well Glass  Halo UFO  UFO Curvy Highbay 

27 Linear Canopy  Astra Canopy 

28 Uromaxx Bulb  Gloplus Bulb 

29 Glomaxx Bulb  Inverter Lamp 

30 Decor Lamp  Night Bulb  Teo Spot 

31 SeneU Light  Mini Spot  Ignis Spot 

32 Comet Batten  Linea Batten 

LEDURE

Table of Contents

33 Sky Downlight 


Accessories 

NEW ARRIVAL Glider Downlight 

34

Shine Plus 

Shine Downlight 

35 Horizon Plus Panel 

Horizon Panel 

Nova Downlight 

36 Vega Downlight 

Sigma Downlight 

Trim Plus 

37 Glide Downlight 

Fusion Panel 

Orbit Surface 

38 Nova Surface 

Fusion Surface 

NEW ARRIVAL Glide Surface 

39

Meta Surface 

Moon Plus Surface 

40

Sera Rope Light 

Aris Plus Rope light 

Table of Contents

LEDURE

41 Jugnu String Lights 

Value Pro Floodlight 

42 Proline Profiles 

43 Mosquito Racquet 

ARCHITECTURAL LUMINARIES

At Ledure Lightings Limited, we take immense pride in presenting our comprehensive range of **Architectural Luminaries**, designed to meet diverse project needs with elegance and precision.

Explore our extensive collection to find the perfect lighting solutions that bring your architectural visions to life.

For more information or to discover the ideal luminaries for your projects, please connect with the **LEDURE team**.

Let's Illuminate your ideas Together!






LEDURE



Arcade COB



Saga COB




Saga Downlight



Cube Surface COB



Casa COB



Casa Surface COB | & many more

DIMMABLE & TUNABLE LIGHTS






Smart Grace COB



Smart Air Downlight



Smart Air COB



Nexa Magnetic
Track Light Series

Halo Downlight Series

'The Minimalist Marvel'



- Recessed Mount
- 160 lm/Watt System Lumens
- Anti Glare
- Operating Voltage 180-300V AC, 50Hz
- Color Temperature Warm-Natural-Cool
- CRI >80

Product Code	Wattage (W)	Product Outer (mm)	Product Cutout (mm)	Standard Packing	List Price (Per Unit)
LD-134-5W	**5W**	Ø102x34	Ø **74**	40	**₹160**
LD-134-10W	**10W**	Ø128x34	Ø **100**	40	**₹225**
LD-134-15W	**15W**	Ø153x35	Ø **124**	20	**₹325**
LD-134-20W	**20W**	Ø178x35	Ø **150**	20	**₹450**
LD-134-5WS	**5W**	⬚102x34	⬚**74**	40	**₹175**
LD-134-10WS	**10W**	⬚128x34	⬚**100**	40	**₹240**
LD-134-15WS	**15W**	⬚153x35	⬚**124**	20	**₹345**
LD-134-20WS	**20W**	⬚178x35	⬚**150**	20	**₹480**

Primus Downlight Series

'Pure Light, Elevated Ambience'



- Recessed Mount
- 160 lm/Watt System Lumens
- Anti Glare
- Operating Voltage 180-300V AC, 50Hz
- Color Temperature Warm-Natural-Cool
- CRI >80

Product Code	Wattage (W)	Product Outer (mm)	Product Cutout (mm)	Standard Packing	List Price (Per Unit)
LD-192-10W-R	**10W**	Ø115x22	Ø98	40	**₹200**
LD-192-15W-5R	**15W**	Ø144x23	Ø128	20	**₹290**
LD-192-15W-6R	**15W**	Ø166x22	Ø149	20	**₹350**
LD-192-20W-R	**20W**	Ø165x21	Ø148	20	**₹380**
LD-192-10W-S	**10W**	⬚116x22	⬚100	40	**₹215**
LD-192-15W-5S	**15W**	⬚144x21	⬚128	20	**₹310**
LD-192-15W-6S	**15W**	⬚165x22	⬚149	20	**₹380**
LD-192-20W-S	**20W**	⬚165x22	⬚149	20	**₹410**

LEDURE

Air Downlight Series

'Lighting the Air Around'

Recessed Mount
160 lm/Watt System Lumens
Anti Glare
Operating Voltage 180-300V AC, 50Hz
Color Temperature Warm-Natural-Cool
CRI >80



Product Code	Wattage (W)	Product Outer (mm)	Product Cutout (mm)	Standard Packing	Body Color	List Price (Per Unit)
LD-95-12W	**12W**	Ø119x56	**Ø110**	20	○	**₹460**
LD-95-12WB*	**12W**	Ø119x56	**Ø110**	20	●	**₹490**
LD-95-18W	**18W**	Ø152x62	**Ø143**	20	○	**₹630**
LD-95-18WB*	**18W**	Ø152x62	**Ø143**	20	●	**₹670**
3 in 1 color						
LD-95-12W-T	**12W**	Ø119x52	**Ø112**	12	○	**₹650**

***Note*:** *Available in Natural White only.*

Prime Downlight Series

'The Premier in Sleekness'

Recessed Mount
160 lm/Watt System Lumens
Anti Glare
Operating Voltage 180-300V AC, 50Hz
Color Temperature Warm-Natural-Cool
CRI >80



Product Code	Wattage (W)	Product Outer (mm)	Product Cutout (mm)	Standard Packing	List Price (Per Unit)
LD-58R-6W	**6W**	Ø116X35	**Ø100**	40	**₹240**
LD-58R-9W	**9W**	Ø116X35	**Ø100**	40	**₹280**
LD-58R-12W	**12W**	Ø145X35	**Ø132**	20	**₹370**
LD-58R-15W	**15W**	Ø166X35	**Ø152**	20	**₹425**
LD-58R-18W	**18W**	Ø220X35	**Ø208**	20	**₹700**
LD-58R-20W	**20W**	Ø220X35	**Ø208**	20	**₹725**

Prime Downlight Series

LD-58S-6W	**6W**	⬚116X35	⬚ **100**	40	**₹240**
LD-58S-9W	**9W**	⬚116X35	⬚ **100**	40	**₹280**
LD-58S-12W	**12W**	⬚145X35	⬚ **132**	20	**₹370**
LD-58S-15W	**15W**	⬚166X35	⬚ **152**	20	**₹425**
LD-58S-18W	**18W**	⬚220X35	⬚ **208**	20	**₹700**
LD-58S-20W	**20W**	⬚220X35	⬚ **208**	20	**₹725**

3 in 1 color

LD-58R-9WT	**9W**	Ø116X35	Ø **100**	20	**₹340**
LD-58R-15WT	**15W**	Ø166X35	Ø **152**	20	**₹540**
LD-58S-9WT	**9W**	⬚116X35	⬚ **100**	20	**₹340**
LD-58S-15WT	**15W**	⬚166X35	⬚ **152**	20	**₹540**

Prime Surface Series

'Not Just an Accessory'

Clipon to Prime Downlight - Wall Mount - Surface Mount
Turn Prime into Surface light & Turn it into Surface Light



Product Code	Product Outer (mm)	Standard Packing	List Price (Per Unit)
LD-64R-6-9W	Ø118X35	40	**₹85**
LD-64R-12W	Ø147X35	20	**₹110**
LD-64R-15W	Ø167X35	20	**₹130**
LD-64R-18W-20W	Ø221X35	20	**₹170**
LD-64S-6-9W	⬚118X35	40	**₹85**
LD-64S-12W	⬚147X35	20	**₹110**
LD-64S-15W	⬚167X35	20	**₹130**
LD-64S-18W-20W	⬚221X35	20	**₹170**

LEDURE

Wave Panel Series

'Wave form Brilliance'



- Recessed Mount
- 160 lm/Watt System Lumens
- Anti Glare
- CRI >80
- Operating Voltage 180-300V AC, 50Hz
- Color Temperature Warm-Natural-Cool
- Aluminium Body

Product Code	Wattage (W)	Product Outer (mm)	Product Cutout (mm)	Standard Packing	List Price (Per Unit)
LD-78R-3W	**3W**	Ø82X23	Ø**70**	40	**₹290**
LD-78R-6W	**6W**	Ø118X23	Ø**108**	40	**₹330**
LD-78R-9W	**9W**	Ø118X23	Ø**108**	20	**₹370**
LD-78R-12W	**12W**	Ø150X23	Ø**135**	20	**₹470**
LD-78R-15W	**15W**	Ø170X23	Ø**155**	20	**₹535**
LD-78R-18W	**18W**	Ø191X23	Ø**175**	20	**₹790**
LD-78R-22W	**22W**	Ø225X23	Ø**204**	20	**₹880**
LD-78S-3W	**3W**	□ 82X23	□ **70**	40	**₹290**
LD-78S-6W	**6W**	□ 120X23	□ **108**	40	**₹330**
LD-78S-9W	**9W**	□ 120X23	□ **108**	20	**₹370**
LD-78S-12W	**12W**	□ 150X23	□ **135**	20	**₹470**
LD-78S-15W	**15W**	□ 170X23	□ **155**	20	**₹535**
LD-78S-18W	**18W**	□ 191X23	□ **175**	20	**₹790**
LD-78S-22W	**22W**	□ 225X23	□ **204**	20	**₹880**

Wave Surface Series

'Where Design Flows'



- Surface Mount
- 160 lm/Watt System Lumens
- Anti Glare
- CRI >80
- Operating Voltage 180-300V AC, 50Hz
- Color Temperature Warm-Natural-Cool
- Aluminium Body

Product Code	Wattage (W)	Product Outer (mm)	Standard Packing	List Price (Per Unit)
LD-77R-6W	**6W**	Ø122X35	20	**₹480**
LD-77R-9W	**9W**	Ø122X35	20	**₹530**
LD-77R-12W	**12W**	Ø175X35	20	**₹725**
LD-77R-15W	**15W**	Ø175X35	20	**₹775**
LD-77R-20W	**20W**	Ø227X35	12	**₹1225**

Wave Surface Series

LD-77S-6W	6W	122X35	20	₹480
LD-77S-9W	9W	122X35	20	₹530
LD-77S-12W	12W	175X35	20	₹725
LD-77S-15W	15W	175X35	20	₹775
LD-77S-20W	20W	227X35	12	₹1225

Air Surface COB Series

'Product Illumination, Effortless Elegance'



Surface Mount
140 lm/Watt System Lumens
42° Beam Angle
Operating Voltage 180-300V AC, 50Hz
Color Temperature Warm-Natural-Cool
CRI >80

Product Code	Wattage (W)	Product Outer (mm)	Standard Packing	Body Color	List Price (Per Unit)
LD-155-12W	12W	Ø82X88	24	○ ●	₹975
LD-155-18W	18W	Ø102X94	12	○ ●	₹1380
LD-155-24W	24W	Ø122X102	12	○ ●	₹1700

Revv Spot Series

'Define Your Focus with Style'



Rose Gold Gun Metal

Surface Mount
140 lm/Watt System Lumens
36° Beam Angle
Operating Voltage 180-300V AC, 50Hz
Color Temperature Warm-Natural-Cool
CRI >80

Product Code	Wattage (W)	Product Outer (mm)	Standard Packing	Front Color	Body Color	List Price (Per Unit)
LD-164-6W	6W	Ø64X78	24	● ●	●	₹825
LD-164-12W	12W	Ø78X95	16	● ●	●	₹1075

Body Color
○ White ● Black ● Rose Gold ● Gun Metal

Front Color
● Rose Gold ● Gun Metal ● Chrome ● Black

Gracia COB Surface Series

'Grace Your Interiors with Gracia'

Surface Mount
140 lm/Watt System Lumens
36° Beam Angle
Operating Voltage 180-300V AC, 50Hz
Color Temperature Warm-Natural-Cool
CRI >80


Rose Gold


Gun Metal

Product Code	Wattage (W)	Product Outer (mm)	Standard Packing	Front Color	Body Color	List Price (Per Unit)
LD-154-6W	6W	Ø54X75	24			₹675
LD-154-12W	12W	Ø74X93	16			₹875
LD-154-20W	20W	Ø94X112	12			₹1375

Grace COB Surface Series

'Elevate Your Ambience'

Surface Mount
140 lm/Watt System Lumens
36° Beam Angle
Operating Voltage 180-300V AC, 50Hz
Color Temperature Warm-Natural-Cool
CRI >80


Rose Gold


Gun Metal

Product Code	Wattage (W)	Product Outer (mm)	Standard Packing	Front Color	Body Color	List Price (Per Unit)
LD-56-6W	6W	Ø55X100	24			₹850
LD-56-12W	12W	Ø75X130	12			₹1200

Elite Surface COB Series

'Grace Your Space with Pure Precision'

Surface Mount
140 lm/Watt System Lumens
32° Beam Angle
Operating Voltage 180-300V AC, 50Hz
Color Temperature Warm-Natural-Cool
CRI >80


Rose Gold


Gun Metal

Product Code	Wattage (W)	Product Outer (mm)	Standard Packing	Body Color	List Price (Per Unit)
LD-183-6W	6W	Ø58X60	24		₹925
LD-183-12W	12W	Ø72X70	12		₹1250
LD-183-18W	18W	Ø86X80	12		₹1800

Lazer Blade Plus Series

'Architectural Brilliance in Every Beam'




- Recessed Mount
- 160 lm/Watt System Lumens
- 32° Beam Angle
- Operating Voltage 180-300V AC, 50Hz
- Color Temperature Warm-Natural-Cool
- CRI >80

Product Code	No. of LEDs	Wattage (W)	Product Outer (mm)	Product Cutout (mm)	Standard Packing	Body Color	List Price (Per Unit)
LD-182-3W	1	**3W**	45x45x40	**36x33**	20	○ ●	**₹525**
LD-182-6W	2	**6W**	68x45x40	**62x33**	20	○ ●	**₹675**
LD-182-9W	3	**9W**	95x46x37	**88x33**	20	○ ●	**₹825**
LD-182-15W	5	**15W**	148x45x40	**142x33**	20	○ ●	**₹1000**
LD-182-25W	10	**25W**	281x45x40	**275x33**	12	○ ●	**₹1750**
LD-182-36W	15	**36W**	412x45x40	**405x33**	12	○ ●	**₹2600**
LD-182-10W	4	**10W**	⬚ 77x55	⬚ **65**	20	○ ●	**₹1500**
LD-182-20W	9	**20W**	⬚ 107x55	⬚ **95**	12	○ ●	**₹2600**

Lazer Blade Series

'Cutting-Edge Lighting'



- Recessed Mount
- 160 lm/Watt System Lumens
- 32° Beam Angle
- Operating Voltage 180-300V AC, 50Hz
- Color Temperature Warm-Natural-Cool
- CRI >80

Product Code	No. of LEDs	Wattage (W)	Product Outer (mm)	Product Cutout (mm)	Standard Packing	Body Color	List Price (Per Unit)
LD-70-3W	1	**3W**	45x45x40	**36x33**	20	○ ●	**₹525**
LD-70-6W	2	**6W**	68x45x40	**62x33**	20	○ ●	**₹675**
LD-70-15W	5	**15W**	148x45x40	**142x33**	20	○ ●	**₹1000**
LD-70-30W	10	**30W**	281x45x40	**275x33**	12	○ ●	**₹1750**
LD-70-45W	15	**45W**	413x45x40	**405x33**	12	○ ●	**₹2600**

Air COB Series

'The Freedom in Lighting'



- Recessed Mount
- 140 lm/Watt System Lumens
- 36° Beam Angle
- Operating Voltage 180-300V AC, 50Hz
- Color Temperature Warm-Natural-Cool
- CRI >80

Product Code	Wattage (W)	Product Outer (mm)	Product Cutout (mm)	Standard Packing	Body Color	List Price (Per Unit)
LD-35R-6W	**6W**	Ø64x60	Ø **56**	24	○ ●	**₹560**
LD-35R-9W	**9W**	Ø64x60	Ø **56**	24	○ ●	**₹640**
LD-35R-12W	**12W**	Ø84x74	Ø **76**	12	○ ●	**₹700**
LD-35R-15W	**15W**	Ø84x74	Ø **76**	12	○ ●	**₹825**
LD-35R-20W	**20W**	Ø95x97	Ø **87**	12	○ ●	**₹1225**
3 in 1 color						
LD-35R-12W-T	**12W**	Ø85x76	Ø **73**	12	○ ●	**₹1200**

Classic COB Series

'Radiating Timeless Elegance'



- Recessed Mount
- 140 lm/Watt System Lumens
- 42° Beam Angle
- Operating Voltage 180-300V AC, 50Hz
- Color Temperature Warm-Natural-Cool
- CRI >80

Product Code	Wattage (W)	Product Outer (mm)	Product Cutout (mm)	Standard Packing	List Price (Per Unit)
LD-192-3W	**3W**	Ø65x25	Ø **36**	24	**₹350**
LD-192-6W	**6W**	Ø90x40	Ø **70**	24	**₹475**
LD-192-12W	**12W**	Ø105x60	Ø **85**	12	**₹660**
LD-192-20W	**20W**	Ø137x76	Ø **115**	12	**₹1150**
LD-192-30W	**30W**	Ø188x70	Ø **165**	12	**₹1400**

Elite COB Series

'Grace Your Space with Pure Precision'

Recessed Mount
140 lm/Watt System Lumens
32° Beam Angle
Operating Voltage 180-300V AC, 50Hz
Color Temperature Warm-Natural-Cool
CRI >80



Rose Gold Gun Metal

Product Code	Wattage (W)	Product Outer (mm)	Product Cutout (mm)	Standard Packing	Front Color	List Price (Per Unit)
LD-181-6W	**6W**	Ø70x56	Ø**60**	24		**₹850**
LD-181-12W	**12W**	Ø84x64	Ø**73**	12		**₹1125**
LD-181-18W	**18W**	Ø97x70	Ø**86**	12		**₹1450**

Aura COB Series

'Light the Way, Elegantly'

Recessed Mount
140 lm/Watt System Lumens
42° Beam Angle
Operating Voltage 180-300V AC, 50Hz
Color Temperature Warm-Natural-Cool
CRI >80




Rose Gold Gun Metal

Product Code	Wattage (W)	Product Outer (mm)	Product Cutout (mm)	Standard Packing	Front Color	List Price (Per Unit)
LD-153-6W	**6W**	Ø68x68	Ø **58**	24		**₹600**
LD-153-12W	**12W**	Ø85x77	Ø **75**	12		**₹775**

Grace COB Series

'COB Brilliance, Graceful Design'

Recessed Mount
140 lm/Watt System Lumens
42° Beam Angle
Operating Voltage 180-300V AC, 50Hz
Color Temperature Warm-Natural-Cool
CRI >80



White Black

Product Code	Wattage (W)	Product Outer (mm)	Product Cutout (mm)	Standard Packing	Front Color	Body Color	List Price (Per Unit)
LD-57-6W	**6W**	Ø68X60	Ø60	24			**₹710**
LD-57-12W	**12W**	Ø83X75	Ø75	12			**₹925**

Body Color: White, Black, Rose Gold, Gun Metal

Front Color: Rose Gold, Gun Metal, Chrome, Black

Round COB Series

'Brilliance in Every Curvet'



Recessed Mount
140 lm/Watt System Lumens
42° Beam Angle
Operating Voltage 180-300V AC, 50Hz
Color Temperature Warm-Natural-Cool
CRI >80

Product Code	Wattage (W)	Product Outer (mm)	Product Cutout (mm)	Standard Packing	List Price (Per Unit)
LD-062-3W	**3W**	Ø68x42	Ø **60**	24	**₹450**
LD-062-6W	**6W**	Ø94x54	Ø **80**	24	**₹700**
LD-062-12W	**12W**	Ø115x75	Ø **95**	12	**₹925**
LD-062-20W	**20W**	Ø142x89	Ø **130**	12	**₹1525**
LD-062-30W	**30W**	Ø180x95	Ø **160**	12	**₹1850**

Astral COB Series

'Radiating Timeless Elegance'



Recessed Mount
140 lm/Watt System Lumens
36° Beam Angle
Operating Voltage 180-300V AC, 50Hz
Color Temperature Warm-Natural-Cool
CRI >80

Product Code	Wattage (W)	Product Outer (mm)	Product Cutout (mm)	Standard Packing	List Price (Per Unit)
LD-144-5W	**5W**	Ø65x33	Ø **52**	24	**₹440**
LD-144-10W	**10W**	Ø80x42	Ø **65**	24	**₹650**
LD-144-15W	**15W**	Ø98x58	Ø **80**	12	**₹900**
LD-144-20W	**20W**	Ø109x70	Ø **90**	12	**₹1200**
LD-144-30W	**30W**	Ø124x93	Ø **114**	12	**₹1600**
LD-144-40W	**40W**	Ø150x106	Ø **132**	8	**₹2000**
LD-144-50W	**50W**	Ø170x118	Ø **154**	8	**₹2500**

Legend COB Series

'Where Brilliance Meets Design'



Recessed Mount
140 lm/Watt System Lumens
42° Beam Angle
Operating Voltage 180-300V AC, 50Hz
Color Temperature Warm-Natural-Cool
CRI >80

Product Code	Wattage (W)	Product Outer (mm)	Product Cutout (mm)	Standard Packing	List Price (Per Unit)
LD-160-6W	**6W**	Ø83x78	Ø **75**	24	**₹540**
LD-160-12W	**12W**	Ø83x78	Ø **75**	12	**₹650**

Crystal COB Series

'The Art of Prismatic Light'



Recessed Mount
140 lm/Watt System Lumens
42° Beam Angle
Operating Voltage 180-300V AC, 50Hz
Color Temperature Warm-Natural-Cool
CRI >80

Product Code	Wattage (W)	Product Outer (mm)	Product Cutout (mm)	Standard Packing	List Price (Per Unit)
LD-82-6W	**6W**	Ø85x30	Ø **75**	24	**₹500**
LD-82-12W	**12W**	Ø105x30	Ø **95**	24	**₹700**
LD-82-18W	**18W**	Ø130x30	Ø **120**	12	**₹1250**

Square COB Series

'The Beauty of Symmetry'



Recessed Mount
140 lm/Watt System Lumens
42° Beam Angle
Operating Voltage 180-300V AC, 50Hz
Color Temperature Warm-Natural-Cool
CRI >80

Product Code	Wattage (W)	Product Outer (mm)	Product Cutout (mm)	Standard Packing	List Price (Per Unit)
LD-061-12W	**12W**	113x113x85	Ø **102x102**	12	**₹1225**
LD-061-24W	**24W**	202x113x85	Ø **185x102**	6	**₹2400**
LD-061-36W	**36W**	295x113x85	Ø **280x102**	6	**₹3500**

Zoom COB Series

'Illuminate Every Detail'

Recessed Mount
140 lm/Watt System Lumens
32° Beam Angle
Operating Voltage 180-300V AC, 50Hz
Color Temperature Warm-Natural-Cool
CRI >80



Product Code	Wattage (W)	Product Outer (mm)	Product Cutout (mm)	Standard Packing	List Price (Per Unit)
LD-24-20W	**20W**	Ø112x92	**Ø 98**	12	**₹1800**
LD-24-30W	**30W**	Ø135x115	**Ø 121**	12	**₹2550**

Focus Spot Series

'Highlight your Elements'

Surface Mount
140 lm/Watt System Lumens
42° Beam Angle
Operating Voltage 180-300V AC, 50Hz
Color Temperature Warm-Natural-Cool
CRI >80



Product Code	Wattage (W)	Product Outer (mm)	Standard Packing	Body Color	List Price (Per Unit)
LD-092-3W*	**3W**	Ø38x68	20	●	**₹650**
LD-092-6W*	**6W**	Ø50x98	20	●	**₹850**
LD-092-12W	**12W**	Ø74x90	12	○●	**₹1100**
LD-092-20W	**20W**	Ø92x116	12	○●	**₹1625**
LD-092-30W	**30W**	Ø98x132	12	○●	**₹1950**

***Note*:** *3W and 6W are only available in Warm White.*

Focus Track Series

'Focus on Brilliance'



Channel Mount | 140 lm/Watt System Lumens | 42° Beam Angle

Operating Voltage 180-300V AC, 50Hz | Color Temperature Warm-Natural-Cool | CRI >80

Product Code	Wattage (W)	Product Outer (mm)	Standard Packing	Body Color	List Price (Per Unit)
LD-81-12W	**12W**	Ø53x136	12	○ ●	**₹1100**
LD-81-20W	**20W**	Ø86x157	12	○ ●	**₹1525**
LD-81-30W	**30W**	Ø90x160	12	○ ●	**₹1850**

Evo Track Series

'Illuminate with Precision, Style & Flexibility'



Channel Mount | 140 lm/Watt System Lumens | 32° Beam Angle

Operating Voltage 180-300V AC, 50Hz | Color Temperature Warm-Natural-Cool | CRI >80


Product Code	Wattage (W)	Product Outer (mm)	Standard Packing	Body Color	List Price (Per Unit)
LD-150-12W	**12W**	Ø120x60x138	24	○ ●	**₹840**
LD-150-20W	**20W**	Ø146x62x138	16	○ ●	**₹1080**
LD-150-30W	**30W**	Ø167x74x150	12	○ ●	**₹1340**
3 in 1 color					
LD-150-20W-T	**20W**	Ø146x62x138	16	○ ●	**₹1380**
LD-150-30W-T	**30W**	Ø169x75x152	12	○ ●	**₹1700**

Track Light Accessories	Body Color	List Price (Per Unit)
1 Meter Trackline	○ ●	**₹360**
2 Meter Trackline	○ ●	**₹750**
L Jointer	○ ●	**₹250**
I Jointer	○ ●	**₹250**
1 Meter Hanging Wire (Set of 2pcs)		**₹250**



Ceiling Downlight Series

'Excellence is Shining'



Recessed Mount | 160 lm/Watt System Lumens | Anti Glare

Operating Voltage 130-300V AC, 50Hz | Color Temperature Warm-Natural-Cool | CRI >80

Product Code	Wattage (W)	Product Outer (mm)	Product Cutout (mm)	Standard Packing	Type	List Price (Per Unit)
LD-071x1-24W	**24W**	295x35	**275**	12	Backlit with Spring	**₹1300**
LD-072x2-36W	**36W**	595x35	**570**	6	Backlit for Grid Ceiling	**₹1650**
LD-072x2-40W	**40W**	595x35	**575**	6	Backlit for Grid Ceiling	**₹1800**

Product Name	List Price (Per Unit)
2x2 Downlight Spring (Set of 4 Pcs)	**₹100**
2x2 Surface Ring	**₹900**

Zyra Linear Series

'Light the Way with Style & Function'



Surface Mount | 160 lm/Watt System Lumens | Anti Glare

Operating Voltage 110-300V AC, 50Hz | Color Temperature Warm-Natural-Cool | CRI >80

Product Code	Wattage (W)	Product Outer (mm)	Standard Packing	List Price (Per Unit)
LD-161-40W	**40W**	1227x52x73	6	**₹3200**

Skyline Linear Series

'Highlight your Elements'



Surface Mount | 160 lm/Watt System Lumens | Anti Glare

Operating Voltage 200-300V AC, 50Hz | Color Temperature Warm-Natural-Cool | CRI >80

Product Code	Wattage (W)	Product Outer (mm)	Standard Packing	List Price (Per Unit)
LD-128-5W	**5W**	295x18x9	50	**₹330**
LD-128-10W	**10W**	585x18x9	50	**₹550**
LD-128-15W	**15W**	885x18x9	50	**₹750**

Divine DC Strip Series

'Illuminate Every Detail'



IP 20 Compliance | Wide Beam Angle | 140 lm/Watt System Lumens | CRI >80

Product Code	LEDs (Per Meter)	Compatible Driver	PCB Width (mm)	Wattage (Per Meter)	Roll Size (M)	Standard Packing	Color Temperature	List Price (Per Unit)
12V, 5mm								
LD-220-D12-120-5	2835-120LED	12V DC, 3A/5A	5	10W	5	50		₹575
LD-220-D12-180-5	2835-180LED	12V DC, 5A	5	15W	5	50		₹980
LD-220-D12-240-5	2025-240LED	12V DC, 10A	5	19W	5	50		₹1300
12V, 8-10mm								
LD-220-D12-120-8	2835-120LED	12V DC, 3A/5A	8	10W	5	50		₹500
LD-220-D12-240-10	2835-240LED	12V DC, 10A	10	16W	5	50		₹900
12V, 3 in 1 color								
LD-220-D12-240-3in1	2835-240LED	12V DC, 5A(Tunable)	10	10W	5	50	W+N+C	₹1425

Vera Strip Series

'Create Magic with Brilliant Strip'



IP 20 Compliance | Wide Beam Angle | 140 lm/Watt System Lumens | CRI >80

Product Code	LEDs (Per Meter)	Compatible Driver	PCB Width (mm)	Wattage (Per Meter)	Roll Size (M)	Standard Packing	Color Temperature	List Price (Per Unit)
LD-220-V12-60-8	2835-60 LED	12V DC, 2A	8	5W	5	50		₹340
LD-220-V12-120-8	2835-120 LED	12V DC, 3A/5A	8	10W	5	50		₹450
LD-220-V12-240-10	2835-240 LED	12V DC, 5A/10A	10	16W	5	50		₹725

SMPS Driver Series

'Where Power Meets Efficiency'

IP 20 Compliance | Operating Voltage 180-300V AC, 50Hz | Surge Protection 4KV




Product Code	Type	Voltage	Current	Wattage (W)	Standard Packing	List Price (Per Unit)
12V SMPS						
1AMP	Constant Voltage	**12V**	1A	**12W**	50	**₹230**
2AMP	Constant Voltage	**12V**	2A	**24W**	50	**₹325**
3AMP	Constant Voltage	**12V**	3A	**36W**	20	**₹500**
5AMP	Constant Voltage	**12V**	5A	**60W**	60	**₹580**
10AMP	Constant Voltage	**12V**	10A	**120W**	30	**₹825**
16.5AMP	Constant Voltage	**12V**	16.5A	**200W**	10	**₹1075**
12V 3 in 1 SMPS						
5AMP (Tunable)	Constant Voltage Tunable	**12V**	2.5A+2.5A	**30W + 30W**	10	**₹800**

Constant Current Driver Series

'Powering Constant Brilliance'


IP 20 Compliance | Operating Voltage 120-300V AC, 50Hz | Surge Protection 4KV



Product Code	Type	Wattage (W)	Voltage	Current	List Price (Per Unit)
LDS-3W	COB	**3W**	**9V**	300mA	**₹130**
LCS-5-6W	COB	**5-6W**	**36V**	125mA	**₹175**
LDS-9-10W	COB	**9-10W**	**36V**	240mA	**₹200**
LDS-12W	COB	**12W**	**36V**	300mA	**₹220**
LDS-15W	COB	**15W**	**36V**	300mA	**₹275**
LCS-20W	COB	**20W**	**36V**	490mA	**₹385**
LCS-30W	COB	**30W**	**36V**	720mA	**₹440**
LDS-24W	Ceiling	**24W**	**54V**	390mA	**₹440**
LDS-40W	Ceiling	**40W**	**54V**	625mA	**₹495**

Dimmable Driver Series

'Brightness Control, Colour Adjustment, Switch On & Off'





Remote Controlled Dimmable Driver

RF- 2.4GHz | Range 15-20 mtrs | Remote On & Off control | 0-100% Dimming

Product Code	Type	Wattage (W)	Voltage	Current	List Price (Per Unit)
LDS-6W-RD	COB	**6W**	**36V**	135mA	**₹750**
LDS-9W-RD	COB	**9W**	**36V**	210mA	**₹800**
LDS-12W-RD	COB	**12W**	**36V**	280mA	**₹850**
LDS-20W-RD	COB	**20W**	**36V**	480mA	**₹1000**
LDA-R-1	Remote	**Battery**	**1.5V**	AAA	**₹1100**

TRIAC & Phase Cut Dimmable Driver

Triac Compatible | Smooth Dimming | Works with Wall Dimmers

Product Code	Type	Wattage (W)	Voltage	Current	List Price (Per Unit)
LDS-12W-D	COB	**12W**	**36V**	280mA	**₹600** COMING SOON

Viva Table Lamp Series

'Light That Moves With You'

Rechargeable - Upto 6 Hours Backup | 3in1 Color Temperature Warm-Natural-Cool | CRI >80


Sea Green


Pink

Product Code	Wattage (W)	Product Outer (mm)	Battery Life	Standard Packing	Body color	List Price (Per Unit)
LD-145-2.5W*	**2.5W**	Ø114x26	**1200mAH**	60		**₹800**

***Note*:** *6 months warranty.*

Prism Mirror Light Series

'Elegance Mirror Glow'

Wall Mount | Operating Voltage 110-300V AC, 50Hz | 3in1 Color Temperature Warm-Natural-Cool | CRI >80



Product Code	Wattage (W)	Product Outer (mm)	Standard Packing	List Price (Per Unit)
LD-159-9W	**9W**	315x53	20	**₹925**
LD-159-18W	**18W**	525x53	20	**₹1180**

Acro Picture Light Series

'Precision Lighting for a Picture-Perfect Space'

Wall Mount | Operating Voltage 100-300V AC, 50Hz | 3in1 Color Temperature Warm-Natural-Cool | CRI >80



Product Code	Wattage (W)	Product Outer (mm)	Standard Packing	Body Color	List Price (Per Unit)
LD-146-6WB	**6W**	335x50x106	20	●	**₹925**
LD-146-12WB	**12W**	490x50x107	10	●	**₹1350**

Willow Bedside Light Series

'Illuminate Your Reflection, Rotate Your Style'

Wall Mount | Operating Voltage 110-300V AC, 50Hz | Color Temperature Warm | CRI >80



3W+6W



3W

Product Code	Wattage (W)	Product Outer (mm)	Standard Packing	List Price (Per Unit)
LD-143-3W	**3W**	Ø66	20	**₹780**
LD-143-3W+6W	**3W-6W**	104x183	10	**₹1450**

Coral Light Series

'Refined Radiance. Effortlessly Elegant'



Wall Mount | 160 lm/Watt System Lumens | CRI >80
IP 65 Compliance | Operating Voltage 180-300V AC, 50Hz | Color Temperature Cool-Warm

Product Code	Wattage (W)	Product Outer (mm)	Standard Packing	List Price (Per Unit)
LD-174-12R	**12W**	104x94x133	10	**₹950**
LD-174-12S	**12W**	105x97x133	10	**₹1000**
LD-174-12A	**12W**	160x75x122	10	**₹1050**

Zyro Bulkhead Series

'Highlight your Elements'



Wall Mount | 160 lm/Watt System Lumens | Anti Glare | CRI >80
IP 65 Compliance | Operating Voltage 120-300V AC, 50Hz | Color Temperature Cool-Warm

Product Code	Wattage (W)	Product Outer (mm)	Standard Packing	List Price (Per Unit)
LD-137-10W*	**10W**	176x74x50	25	**₹270**
LD-137-20W	**20W**	210x104x59	20	**₹375**

***Note*:** *10W is only available in Warm White.*

Alpha Step Light Series

'Your Canvas of Artistry'



Metal


Wall Mount | Operating Voltage 180-300V AC, 50Hz | IP 65 Compliance | Color Temperature Warm | CRI >80

Product Code	Wattage (W)	Product Outer (mm)	Product Cutout (mm)	Standard Packing	Type	List Price (Per Unit)
LD-55-3W	**3W**	84x84x41	**80x70**	12	Metal	**₹575**
LD-55-6W	**6W**	165x105x65	**155x95**	12	Metal	**₹1250**

UPDown PLUS Series

'Glow with One Perfect Light'

Wall Mount
Operating Voltage 120-300V AC, 50Hz
Plastic Body
IP 65 Compliance
Color Temperature Warm
CRI >80



4-Way Curve K-Dual Mini K-Dual

Product Code	Shape	LED	Product Outer (mm)	Standard Packing	Body Color	List Price (Per Unit)
LD-123-3WU-M	Mini K - Dual	**1.5WX2**	114x57x47	30	●	**₹360**
LD-123-3WU	K - Single	**3Wx1**	82x82x64	10	●	**₹460**
LD-123-6WU	K - Dual	**3Wx2**	146x80x60	10	●	**₹560**
LD-123-2WC	Curve - Dual	**1Wx2**	78x85x39	20	●	**₹460**
LD-123-4WC	Curve - Quad	**1Wx4**	120x77x41	20	●	**₹540**
LD-123-6WC	Curve - Hexa	**1Wx6**	169x78x44	10	●	**₹720**
LD-123-4W4	Cube - 4Way	**1Wx4**	76x76x46	20	●	**₹540**

UPDown Series

'The Flexible Illumination'

Wall Mount
Operating Voltage 120-300V AC, 50Hz
Metal Body
IP 65 Compliance
Color Temperature Warm
CRI >80



4-Way Curve K-Dual

Product Code	Shape	LED	Product Outer (mm)	Standard Packing	Body Color	List Price (Per Unit)
LD-121-3WKS	K - Single	**3Wx1**	82x80x63	10	●	**₹700**
LD-121-6WKD	K - Dual	**3Wx2**	146x80x60	10	●	**₹800**
LD-121-4WCD*	Curve - Dual	**2Wx2**	80x61x35	10	●	**₹900**
LD-121-8WCQ*	Curve - Quad	**2Wx4**	98x80x38	10	●	**₹1250**
LD-121-12WCH*	Curve - Hexa	**2Wx6**	153x80x42	10	●	**₹1800**
LD-122-12WC*	Cube - 4 Way	**3Wx4**	75X75X35	12	●	**₹1300**

***Note*:** *4W Dual, 8W Quad, 12W Hexa and 12W Cube are available in Natural White & Cool White also.*

Spike Light Series

'Illuminate Your Surroundings'

Ground Mount | Operating Voltage 120-300V AC, 50Hz | IP 65 Compliance | Color Temperature Warm | CRI >80



Garden Uplighter

Product Code	Wattage (W)	Product Outer (mm)	Type	Standard Packing	List Price (Per Unit)
LD-12-6WS	**6W***	Ø60x105	Garden	12	**₹1000**
LD-12-12WS	**12W**	Ø70x115	Garden	12	**₹1200**
LD-12-18WS	**18W**	Ø78x175	Uplighter	8	**₹1800**

***Note*:** *6W is available in Green color also.*

Aria Bollard Series

'Bollard Brilliance for Every Landscape'

Ground Mount | Operating Voltage 120-300V AC, 50Hz | IP 65 Compliance | Color Temperature Warm | CRI >80



Triangle Rectangle

Product Code	Wattage (W)	Product Outer (mm)	Shape	Standard Packing	List Price (Per Unit)
LD-13-15WR	**15W**	164x58x601	Rectangle	4	**₹3800**
LD-13-15WT	**15W**	Ø191x618	Triangle	4	**₹3600**

Neon Rope Light Series

'Illuminating Flexibility'

Flexible Mount | 140 lm/Watt System Lumens | Wide Beam Angle

IP 65 Compliance | Operating Voltage 180-300V AC, 50Hz | Color Temperature Warm-Natural-Cool-Ice Blue-Amber



Product Code	LEDs (Per Meter)	Voltage	Wattage Per Meter	PCB Width (mm)	Roll Size (M)	Standard Packing	List Price (Per Unit)
LD-76-8W-30M*	2835-288LED	**240V DC**	**8W**	8	30	4	**₹6500**

***Note*:** *1 year warranty.*

Neon Rope Light Accessories
Neon Ropelight Power Supply 4A
Neon Ropelight Connector Pin
Neon Ropelight Clips Kit





Halo Floodlight Series

'Power That Covers Every Corner'



Surface Mount | 160 lm/Watt System Lumens | Wide Beam Angle | CRI >80

IP 65 Compliance | Operating Voltage 180-300V AC, 50Hz | Color Temperature Cool

Product Code	Wattage (W)	Product Outer (mm)	Standard Packing	List Price (Per Unit)
LD-170-10W	**10W***	122x108x25	40	**₹460**
LD-170-50W	**50W***	192x158x25	20	**₹975**
LD-170-100W	**100W**	261x210x25	12	**₹1650**
LD-170-150W	**150W**	320x250x25	8	**₹2700**
LD-170-200W	**200W**	375x282x25	6	**₹3500**

***Note*:** *50W is available in Green, Red, Blue, Pink, Amber, Warm White color also.*
10W is available in Warm and Green color also.

Terra Floodlight Series

'Vivid Lighting, Vast Coverage'



Surface Mount | 160 lm/Watt System Lumens | Wide Beam Angle | CRI >80

IP 65 Compliance | Operating Voltage 120-300V AC, 50Hz | Color Temperature Cool-Warm

Product Code	Wattage (W)	Product Outer (mm)	Standard Packing	List Price (Per Unit)
LD-142-50W	**50W**	197x142x40	20	**₹1300**
LD-142-100W	**100W**	240x220x40	12	**₹2200**
LD-142-150W	**150W**	300x310x45	4	**₹3900**
LD-142-200W	**200W**	355x310x45	6	**₹4950**

Lego Floodlight Series

'Focused Power with 20° Precision Beam'



Surface Mount | 160 lm/Watt System Lumens | 20° Beam Angle | CRI >80

IP 66 Compliance | Operating Voltage 180-300V AC, 50Hz | Color Temperature Cool

Product Code	Wattage (W)	Product Outer (mm)	Standard Packing	List Price (Per Unit)
LD-199-300W	**300W**	385x432x74	1	**₹13000**
LD-199-400W	**400W**	518x432x75	1	**₹17750**
LD-199-500W	**500W**	648x432x75	1	**₹22500**

Stylo Floodlight Series

'Where Light Overflows'



Surface Mount | 160 lm/Watt System Lumens | Wide Beam Angle | CRI >80

IP 65 Compliance | Operating Voltage 120-300V AC, 50Hz | Color Temperature Cool-Warm

Product Code	Wattage (W)	Product Outer (mm)	Standard Packing	List Price (Per Unit)
LD-42-50WM	**50W Mini**	228x185x52	8	**₹1500**
LD-42-50W	**50W**	222x260x50	8	**₹1850**
LD-42-100W	**100W**	273x293x70	4	**₹3200**
LD-42-150W	**150W**	290x310x85	2	**₹5100**
LD-42-200W	**200W**	365x410x85	2	**₹7500**
LD-42-300W	**300W**	263x362x127	2	**₹15500**
LD-42-400W	**400W**	335x430x170	2	**₹21000**

Blaze Wall Washer Series

'Unmatched Strength with Elegant Light'



Surface Mount | 160 lm/Watt System Lumens | 18° Beam Angle | CRI >80

IP 65 Compliance | Operating Voltage 120-300V AC, 50Hz | Color Temperature Warm-Natural-Cool

Product Code	Wattage (W)	Product Outer (mm)	Standard Packing	List Price (Per Unit)
LD-138-36W	**36W**	520x59x75	8	**₹5500**
LD-138-40W	**40W**	1033x93x75	6	**₹11000**

Halo Streetlight Series

'Efficiency That Lights Every Path'



Pole Mount | 160 lm/Watt System Lumens | Wide Beam Angle | CRI >80

IP 65 Compliance | Operating Voltage 180-300V AC, 50Hz | Color Temperature Cool

Product Code	Wattage (W)	Product Outer (mm)	PoleSize (mm)	Standard Packing	List Price (Per Unit)
LD-171-50W	**50W**	337x128x63	Ø **37-50**	10	₹**1400**
LD-171-100W	**100W**	423x154x80	Ø **48-60**	8	₹**2200**
LD-171-150W	**150W**	485x171x80	Ø **48-60**	6	₹**3200**
LD-171-200W	**200W**	540x202x80	Ø **48-60**	4	₹**4400**

Spectra Streetlight Series

'Streetlight Brilliance'



Pole Mount | 160 lm/Watt System Lumens | Wide Beam Angle | Polycarbonate Body

IP 65 Compliance | Operating Voltage 180-300V AC, 50Hz | Color Temperature Cool | CRI >80

Product Code	Wattage (W)	Product Outer (mm)	Pole Size (mm)	Standard Packing	List Price (Per Unit)
LD-135-20W	**20W**	295x93x55	Ø **28-38**	12	₹**780**
LD-135-30W	**30W**	343x105x55	Ø **28-38**	12	₹**960**
LD-135-50W	**50W**	395x129x55	Ø **28-38**	8	₹**1200**

Note : *50W is available in Warm White color also.*

Oasis Streetlight Series

'Auto Dusk to Dawn'



Pole Mount | 160 lm/Watt System Lumens | Wide Beam Angle | Inbuilt Sensor

IP 65 Compliance | Operating Voltage 120-300V AC, 50Hz | Color Temperature Cool-Warm | CRI >80

Product Code	Wattage (W)	Product Outer (mm)	Pole Size (mm)	Standard Packing	List Price (Per Unit)
LD-129-50W	**50W**	282x114x63	Ø **20-32**	10	₹**2400**

Stellar Streetlight Series

'Brighten Every Path'



Pole Mount | 160 lm/Watt System Lumens | Wide Beam Angle | CRI >80

IP 65 Compliance | Operating Voltage 120-300V AC, 50Hz | Color Temperature Cool-Warm

Product Code	Wattage (W)	Product Outer (mm)	Pole Size (mm)	Standard Packing	List Price (Per Unit)
LD-83-24W	**24W**	262x120x58	**Ø 35-40**	12	**₹1025**
LD-83-36W	**36W**	295x142x61	**Ø 35-45**	8	**₹1280**
LD-83-50W*	**50W**	343x176x61	**Ø 35-45**	8	**₹1600**
LD-83-100W*	**100W**	387x200x68	**Ø 42-52**	6	**₹2750**
LD-83-120W	**120W**	403x184x74	**Ø 42-54**	8	**₹3600**
LD-83-200W	**200W**	518x268x86	**Ø 50-60**	2	**₹7800**

***Note*:** *50W and 100W are available in Warm White also.*

Stylo Streetlight Series

'Streetlight Mastery'



Pole Mount | 160 lm/Watt System Lumens | Wide Beam Angle | CRI >80

IP 65 Compliance | Operating Voltage 120-300V AC, 50Hz | Color Temperature Cool-Warm

Product Code	Wattage (W)	Product Outer (mm)	Pole Size	Standard Packing	List Price (Per Unit)
LD-65-30W	**30W**	255x95x66	**Ø 20-32**	12	**₹1350**
LD-65-45W	**45W**	255x95x66	**Ø 20-32**	12	**₹1600**
LD-65-60W	**60W**	330x163x78	**Ø 33-52**	6	**₹2700**
LD-65-90W	**90W**	330x163x78	**Ø 33-52**	6	**₹3200**

Curvy Well Glass Series

'Brightening Every Corner'



Surface Mount | 160 lm/Watt System Lumens | Wide Beam Angle | CRI >80

IP 65 Compliance | Operating Voltage 120-300V AC, 50Hz | Color Temperature Cool

Product Code	Wattage (W)	Product Outer (mm)	Standard Packing	List Price (Per Unit)
LD-50-40W	**40W**	Ø 138x150	16	**₹1600**
LD-50-70W	**70W**	Ø 180x195	8	**₹2750**

Halo UFO Series

'Dominate the Darkness with Pure Power'



Surface Mount | 160 lm/Watt System Lumens | Wide Beam Angle | CRI >80

IP 65 Compliance | Operating Voltage 180-300V AC, 50Hz | Color Temperature Cool

Product Code	Wattage (W)	Product Outer (mm)	Standard Packing	List Price (Per Unit)
LD-175-100W	**100W**	Ø 237x35	8	**₹2200**
LD-175-150W	**150W**	Ø 299x35	6	**₹3400**
LD-175-200W	**200W**	Ø 332x35	4	**₹4600**

UFO Curvy Highbay Series

'Lighting the High Altitudes'



Surface Mount | 160 lm/Watt System Lumens | Wide Beam Angle | CRI >80

IP 65 Compliance | Operating Voltage 120-300V AC, 50Hz | Color Temperature Cool-Warm

Product Code	Wattage (W)	Product Outer (mm)	Standard Packing	List Price (Per Unit)
LD-46-70W	**70W**	Ø 180x130	8	**₹2900**
LD-46-100W	**100W**	Ø 235x150	4	**₹4100**
LD-46-120W	**120W**	Ø 235x150	4	**₹4400**
LD-46-150W	**150W**	Ø 345x225	2	**₹6700**
LD-46-200W	**200W**	Ø 345x225	2	**₹7400**

Linear Canopy Series

'Seamless Light, Perfect Blend of Style & Functionality'



Recessed Mount | 160 lm/Watt System Lumens | Anti Glare | CRI >80

IP 65 Compliance | Operating Voltage 120-300V AC, 50Hz | Color Temperature Cool

Product Code	Wattage (W)	Product Outer (mm)	Product Cutout (mm)	Standard Packing	List Price (Per Unit)
LD-185-80W	**80W**	2373x70x34	**2366x64**	1	**₹9400**

Astra Canopy Series

'Bright Durability Redefine'



Recessed Mount | 160 lm/Watt System Lumens | Wide Beam Angle | CRI >80

IP 65 Compliance | Operating Voltage 120-300V AC, 50Hz | Color Temperature Cool

Product Code	Wattage (W)	Product Outer (mm)	Product Cutout (mm)	Standard Packing	List Price (Per Unit)
LD-158-80W	**80W**	312x302x68	**260**	4	**₹4000**
LD-158-100W	**100W**	312x302x68	**260**	4	**₹4200**

LEDURE

Uromaxx Bulb Series

'The Light of Progress'



Anti Glare | Operating Voltage 180-300V AC, 50Hz | 160 lm/Watt System Lumens | CRI >80

Product Code	Wattage (W)	Product Outer (mm)	Type	Standard Packing	Color Temperature
LD-31-3W1S	**3W**	A55	B-22 Cap | ★	100	○
LD-31-3W2S	**3W**	A55	B-22 Cap | ★★	100	○
LD-31-5W2S	**5W**	A55	B-22 Cap | ★★	100	○
LD-31-7W1S	**7W**	A55	B-22 Cap | ★	100	○
LD-31-7W2S	**7W**	A55	B-22 Cap | ★★	100	○
LD-31-9W1S	**9W**	A60	B-22 Cap | ★	100	○ ○
LD-31-9W2S	**9W**	A60	B-22 Cap | ★★	100	○
LD-31-12W1S	**12W**	A60	B-22 Cap | ★	50	○ ○
LD-31-12W2S	**12W**	A65	B-22 Cap | ★★	50	○
LD-31-14W1S	**14W**	A65	B-22 Cap | ★	50	○
LD-31-15W2S	**15W**	A65	B-22 Cap | ★★	50	○
LD-31-18W1S	**18W**	A70	B-22 Cap | ★	50	○
LD-31-18W2S	**18W**	A70	B-22 Cap | ★★	50	○
LD-31-9WE1S	**9W**	A60	E-27 Cap | ★	50	○
LD-31-9WE2S	**9W**	A60	E-27 Cap | ★★	50	○

Gloplus Bulb Series

'Go Brighter with Gloplus'



Anti Glare | Operating Voltage 180-300V AC, 50Hz | 160 lm/Watt System Lumens | CRI >80

Product Code	Wattage (W)	Product Outer (mm)	Type	Standard Packing	Color Temperature
LD-162-20W1S	**20W**	T80	B-22 Cap | ★	20	○
LD-162-30W1S	**30W**	T100	B-22 Cap | ★	12	○ ○
LD-162-40W	**40W**	T120	B-22 Cap	12	○ ○
LD-162-50W	**50W**	T140	B-22 Cap	10	○ ○
LD-162-60W	**60W**	T140	B-22 Cap	10	○

Glomaxx Bulb Series

'Modernizing Illumination'



Anti Glare | Operating Voltage 180-300V AC, 50Hz | 160 lm/Watt System Lumens | CRI >80

Product Code	Wattage (W)	Product Outer (mm)	Type	Standard Packing	Color Temperature
LD-10-15W2S	**15W**	T70	B-22 Cap | ★★	20	○
LD-10-16W1S	**16W**	T70	B-22 Cap | ★	20	○
LD-10-18W2S	**18W**	T70	B-22 Cap | ★★	20	○
LD-10-20W2S	**20W**	T80	B-22 Cap | ★★	20	○
LD-10-23W2S	**23W**	T80	B-22 Cap | ★★	20	○
LD-10-30W1S	**30W**	T100	B-22 Cap | ★	12	○
LD-10-40W	**40W**	T120	B-22 Cap	12	○ ○
LD-10-50W	**50W**	T140	B-22 Cap	6	○
LD-10-60W	**60W**	T140	B-22 Cap	6	○ ○

Inverter Lamp Series

'Lighting the Future'



Anti Glare | Operating Voltage 180-300V AC, 50Hz | 160 lm/Watt System Lumens | CRI >80

Product Code	Wattage (W)	Product Outer (mm)	Specification	Standard Packing	Color Temperature
LD-187-10W5*	**10W**	A70	Upto 5 Hrs	30	○
LD-187-10W3*	**10W**	A70	Upto 3.5 Hrs	30	○
LD-187-12W5*	**12W**	A70	Upto 5 Hrs	30	○
LD-187-15W4*	**15W**	A70	Upto 4 Hrs	20	○
LD-187-20W4*	**20W**	A70	Upto 4 Hrs	20	○

***Note*:** *1 year warranty.*

LEDURE

Decor Lamp Series

'Spice up Your Decor'



Wide Beam Angle | Operating Voltage 180-300V AC, 50Hz | 160 lm/Watt System Lumens | CRI >80

Product Code	Wattage (W)	Base Type	Front Diffuser	Standard Packing	Color Temperature
LD-31-2.9WC-14*	**2.9W**	E-14	Clear	100	○
LD-31-2.9WC-27*	**2.9W**	E-27	Clear	100	○
LD-31-4.5WC-14*	**4.5W**	E-14	Clear	100	○
LD-31-4.5WC-27*	**4.5W**	E-27	Clear	100	○
LD-31-2.9WM-14*	**2.9W**	E-14	Milky	100	○
LD-31-2.9WM-27*	**2.9W**	E-27	Milky	100	○
LD-31-4.5WM-14*	**4.5W**	E-14	Milky	100	○
LD-31-4.5WM-27*	**4.5W**	E-27	Milky	100	○

***Note*:** *1 year warranty.*

Night Bulb Series

'Dreamy Nights, Gentle Light'



Anti Glare | Operating Voltage 180-300V AC, 50Hz | 160 lm/Watt System Lumens

Product Code	Wattage (W)	Product Outer (mm)	Type	Standard Packing	Color Temperature
LD-31-0.5WC*	**0.5W**	A45	B-22 Cap	180	7in1
LD-31-0.5W*	**0.5W**	A45	B-22 Cap	180	○○●●●●●
LD-31-0.5WP*	**0.5W**	A45x67x65	Plug-in	48	○○●●●●●

***Note*:** *1 year warranty.*

Teo Spot Series

'Enduring Focus, Perfect Spot'



36° Beam Angle | Operating Voltage 180-300V AC, 50Hz | 160 lm/Watt System Lumens | CRI >80

Product Code	Wattage (W)	Product Outer (mm)	Standard Packing	Color Temperature
LD-148-5W	**5W**	**Ø 50x46**	100	○●

SenseU Light Series

'Lighting redefined by motion'



Anti Glare | Operating Voltage 180-300V AC, 50Hz | 160 lm/Watt System Lumens | Inbuilt Sensor | CRI >80

Product Code	Wattage (W)	Product Outer (mm)	Type	Standard Packing	Color Temperature
LD-165-10W*	**10W**	A60	Bulb	30	
LD-165-20W*	**20W**	1100x23x37	Batten	20	
LD-165-18W*	**18W**	130x32	Surface	30	

***Note*:** *1 year warranty.*

Mini Spot Series

'Where Light Soars'



36° Beam Angle | Operating Voltage 180-300V AC, 50Hz | 160 lm/Watt System Lumens | CRI >80

Product Code	Wattage (W)	Product Outer (mm)	Product Cutout (mm)	Type	Standard Packing	Color Temperature
LD-79-2W	**2W**	Ø41x20	Ø**33**	Niche	100	
LD-79-3W	**3W**	Ø70x36	Ø**54**	Junction	100	
LD-79-3WT	**3W**	Ø70x36	Ø**54**	Junction	100	R+B+P / W+N+C

Ignis Spot Light Series

'Sleek, Smart, Spot On'



Rose Gold | Gun Metal

Recessed Mount | 160 lm/Watt System Lumens | CRI >80 | Operating Voltage 180-300V AC, 50Hz | 65° Beam Angle

Product Code	Wattage (W)	Product Outer (mm)	Product Cutout (mm)	Body Color	Standard Packing	Color Temperature
LD-194-3W	**3W**	Ø32X22	Ø29		12	

LEDURE

Comet Batten Series

'Lighting the Way Forward'



Anti Glare | Operating Voltage 130-300V AC, 50Hz | 160 lm/Watt System Lumens | CRI >80

Product Code	Wattage (W)	Material	Product Outer (mm)	Standard Packing	Color Temperature
LD-80-20W-3in1-4ft*	**20W**	PC	1080x32x40	20	W+N+C
LD-80-36W-4ft*	**36W**	PC	1175x30x35	20	
LD-80-55W-4ft*	**55W**	PC	1098x50x37	10	
LD-80-40W-4ft*	**40W**	AL	1175x30x35	20	
LD-80-65WAL-4ft*	**65W**	AL	1200x71x28	20	
LD-80-100WAL-4ft*	**100W**	AL	1208x100x25	10	

***Note*:** *1 year warranty.*

Linea Batten Series

'Brilliance Simplified'



Anti Glare | Operating Voltage 120-300V AC, 50Hz | 160 lm/Watt System Lumens | CRI >80

Product Code	Wattage (W)	Product Outer (mm)	Standard Packing	Color Temperature
LD-81-5W-1ft*	**5W**	289x20x29	20	
LD-81-10W-2ft*	**10W**	583x20x29	20	
LD-81-20W-2ft*	**20W**	600x23x32	30	
LD-81-20W-4ftC*	**20W**	1093x21x29	20	TIRANGA
LD-81-20W-4ft*	**20W**	1096x19x29	40	
LD-81-22W-4ft*	**22W**	1100x20x29	30	
LD-81-25W-4ft*	**25W**	1128x22x32	20	
LD-81-36W-4ft*	**36W**	1175x22x37	20	

***Note*:** *1 year warranty.*

Sky Downlight Series

'Illuminate New Heights'

Recessed Mount
160 lm/Watt System Lumens
CRI >80
Anti Glare
Operating Voltage 180-300V AC, 50Hz



Product Code	Wattage (W)	Material	Product Outer (mm)	Product Cutout (mm)	Type	Standard Packing	Color Temperature
LD-85-6W	**6W**	**Plastic**	Ø110x27	**Ø80**	Concealed	60	
LD-85-7W	**7W**	**Plastic**	Ø110x35	**Ø85**	Concealed	60	
LD-85-10W	**10W**	**Plastic**	Ø110x35	**Ø74**	Concealed	60	
LD-85-12WA	**12W-AL**	**Metal**	Ø110x36	**Ø78**	Concealed	20	

Accessories (Sky Collar Rings)

'You Need it'

Accessories	Body Color
7W / 10W Sky Ring	



Wooden Rose Gold Gun Metal

Glider Downlight Series

NEW ARRIVAL

'Crafted Light. Defined Luxury'


Recessed Mount
160 lm/Watt System Lumens
CRI >80
Operating Voltage 180-300V AC, 50Hz
36° Beam Angle



Product Code	Wattage (W)	Product Outer (mm)	Product Cutout (mm)	Type	Standard Packing	Color Temperature
LD-198-7W	**7W**	Ø110x45	Ø65	Concealed	50	

Shine Plus Series

'Brighten Spaces with Shine'



Recessed Mount
160 lm/Watt System Lumens
CRI >80
Anti Glare
Operating Voltage 180-300V AC, 50Hz

Product Code	Wattage (W)	Product Outer (mm)	Product Cutout (mm)	Type	Standard Packing	Color Temperature
LD-38-6W	**6W**	Ø108x28	**Ø78**	Concealed	100	
LD-38-6W-3in1	**6W**	Ø108x33	**Ø69**	Concealed	50	W+N+C R+B+P P+C+G
LD-38-9W	**9W**	Ø108x32	**Ø69**	Concealed	60	

Shine Downlight Series

'Illuminate Your World Brightly'




Recessed Mount
160 lm/Watt System Lumens
CRI >80
Anti Glare
Operating Voltage 180-300V AC, 50Hz

Product Code	Wattage (W)	Product Outer (mm)	Product Cutout (mm)	Type	Standard Packing	Color Temperature
LD-38-3WM	**3W**	Ø75x19	**Ø45**	Junction	100	
LD-38-3W	**3W**	Ø80x34	**Ø50**	Junction	60	
LD-38-3W-3in1	**3W**	Ø80x34	**Ø50**	Junction	50	W+N+C R+B+P
LD-38-12W	**12W**	Ø130x29	**Ø102**	Fan Box	50	

Horizon Plus Panel Series

'Spreading Light, Beyond Limits'



Recessed Mount | 160 lm/Watt System Lumens | CRI >80 | Anti Glare | Operating Voltage 180-300V AC, 50Hz

Product Code	Wattage (W)	Product Outer (mm)	Product Cutout (mm)	Type	Standard Packing	Color Temperature
LD-196-10W-R	**10W**	Ø115X52	Ø50-100	Adjustable	20	
LD-196-15W-R	**15W**	Ø141X51	Ø50-120	Adjustable	20	
LD-196-10W-S	**10W**	⬚115X 46	⬚50-100	Adjustable	20	
LD-196-15W-S	**15W**	⬚141X 51	⬚50-120	Adjustable	20	

Horizon Panel Series

'Where Light Touches the Horizon'



Recessed Mount | 160 lm/Watt System Lumens | CRI >80 | Anti Glare | Operating Voltage 120-300V AC, 50Hz

Product Code	Wattage (W)	Product Outer (mm)	Product Cutout (mm)	Type	Standard Packing	Color Temperature
LD-127-12WR	**12W**	Ø120x40	Ø**72-105**	Adjustable	20	
LD-127-18WR	**18W**	Ø170x47	Ø**72-148**	Adjustable	20	
LD-127-12WS	**12W**	⬚118x40	⬚**72-105**	Adjustable	20	
LD-127-18WS	**18W**	⬚170x40	⬚**72-148**	Adjustable	20	

Nova Downlight Series

'A Stellar Glow'



Recessed Mount | 160 lm/Watt System Lumens | CRI >80 | Anti Glare | Operating Voltage 180-300V AC, 50Hz

Product Code	Wattage (W)	Product Outer (mm)	Product Cutout (mm)	Type	Standard Packing	Color Temperature
LD-62-8W+8W	**8W+8W**	Ø87x43	Ø**52**	Junction	60	
LD-62-12W+12W	**12W+12W**	Ø115x45	Ø**52**	Junction	40	

Vega Downlight Series

'Illuminate Brighter, Perform Superior'



Recessed Mount
160 lm/Watt System Lumens
CRI >80
Anti Glare
Operating Voltage 180-300V AC, 50Hz

Product Code	Wattage (W)	Product Outer (mm)	Product Cutout (mm)	Type	Standard Packing	Color Temperature
LD-136-8W	**8W**	Ø87x43	**Ø52**	Junction	50	
LD-136-12W	**12W**	Ø115x45	**Ø52**	Junction	50	

Sigma Downlight Series

'Illuminate New Heights'



Recessed Mount
160 lm/Watt System Lumens
CRI >80
Anti Glare
Operating Voltage 120-300V AC, 50Hz

Product Code	Wattage (W)	Product Outer (mm)	Product Cutout (mm)	Type	Standard Packing	Color Temperature
LD-140-12W	**12W**	Ø134x69	**Ø75**	Junction/ Concealed	40	

Trim Plus Series

'Where Brilliance Takes Center Stage'



Recessed Mount
160 lm/Watt System Lumens
CRI >80
36° Beam Angle
Operating Voltage 180-300V AC, 50Hz

Product Code	Wattage (W)	Product Outer (mm)	Product Cutout (mm)	Type	Standard Packing	Color Temperature
LD-96-3W	**3W**	Ø70x40	**Ø59**	Junction	48	
LD-96-6W	**6W**	Ø106x46	**Ø86**	Concealed	24	
LD-96-12W	**12W**	Ø128x56	**Ø104**	Ceiling	24	

Glide Downlight Series

'Luxury in Every Beam'

Recessed Mount
160 lm/Watt System Lumens
CRI >80
36° Beam Angle
Operating Voltage 180-300V AC, 50Hz



Rose Gold

Product Code	Wattage (W)	Product Outer (mm)	Product Cutout (mm)	Standard Packing	Color Temperature
LD-176-7W	**7W**	Ø89x45	**Ø73**	50	○○○

Fusion Panel Series

'A Symphony of Light'

Recessed Mount
160 lm/Watt System Lumens
CRI >80
Anti Glare
Operating Voltage 130-300V AC, 50Hz



Product Code	Wattage (W)	Product Outer (mm)	Product Cutout (mm)	Standard Packing	Color Temperature
LD-88-3+3W	**3+3W**	Ø104x34	Ø **72**	40	○ + P+B+G
LD-88-6+6W	**6+6W**	Ø147x34	Ø **106**	40	○ + P+B+G
LD-88-12+12W	**12+12W**	Ø197x34	Ø **152**	20	○ + P+B+G

Orbit Surface Series

'Lighting Beyond Stars'

Surface Mount
160 lm/Watt System Lumens
CRI >80
Anti Glare
Operating Voltage 180-300V AC, 50Hz



Product Code	Wattage (W)	Product Outer (mm)	Standard Packing	Color Temperature
LD-59-3W	**3W**	Ø69x14	60	○○●●●
LD-59-5W	**5W**	Ø92x18	60	○○●●●

Nova Surface Series

'A Stellar Glow'

Surface Mount
160 lm/Watt System Lumens
CRI >80
Anti Glare
Operating Voltage 180-300V AC, 50Hz



Product Code	Wattage (W)	Product Outer (mm)	Standard Packing	Color Temperature
LD-130-6W-2in1	**6W+6W**	Ø80x40	20	P+B+G

Fusion Surface Series

'Lighting in Perfect Harmony'

Surface Mount
160 lm/Watt System Lumens
CRI >80
Anti Glare
Operating Voltage 130-300V AC, 50Hz



Product Code	Wattage (W)	Product Outer (mm)	Standard Packing	Color Temperature
LD-88S-3+3W	**3+3W**	Ø104x34	40	P+B+G
LD-88S-6+6W	**6+6W**	Ø147x34	40	P+B+G
LD-88S-12+12W	**12+12W**	Ø197x34	20	P+B+G

Glide Surface Series

NEW ARRIVAL

'Bringing Luxury to Every Corner Through Light'

Surface Mount
160 lm/Watt System Lumens
45° Beam Angle
Operating Voltage 180-300V AC, 50Hz
Color Temperature Warm-Natural-Cool
CRI >80



Rose Gold

Product Code	Wattage (W)	Product Outer (mm)	Type	Standard Packing	Color Temperature
LD-197-7W	**7W**	Ø79x76	Surface	20	

Meta Surface Series

'Bridging Brilliance and Design'

Surface Mount
160 lm/Watt System Lumens
CRI >80
Anti Glare
Operating Voltage 180-300V AC, 50Hz



Product Code	Wattage (W)	Product Outer (mm)	Body Color	Standard Packing	Color Temperature
LD-151-10W	**10W**	Ø95x28	○ ●	20	○ ○ ○
LD-151-15W	**15W**	Ø130x32	○ ●	20	○ ○ ○
3 in 1 color					
LD-151-15W-T	**15W**	Ø130x32	○	20	3in1 W+N+C

Moon Plus Surface Series

'Tune into Your Mood'

Surface Mount
160 lm/Watt System Lumens
CRI >80
Anti Glare
Operating Voltage 180-300V AC, 50Hz



Product Code	Wattage (W)	Product Outer (mm)	Standard Packing	Color Temperature
LD-37-6W	**6W**	Ø91x27	40	○ ○ ○ ● ● ● ●
LD-37-12W	**12W**	Ø121x27	20	○ ○ ○
LD-37-18W	**18W**	Ø157x27	20	○ ○ ○
LD-37-24W	**24W**	Ø195x27	20	○ ○ ○
LD-37-6W	**6W**	⬚91x27	40	○ ○ ○
LD-37-12W	**12W**	⬚121x27	20	○ ○ ○
LD-37-18W	**18W**	⬚157x27	20	○ ○ ○
LD-37-24W	**24W**	⬚195x27	20	○ ○ ○

Sera Rope Light Series

'Illuminate Life, Effortlessly Bright'



IP 65 Compliance | Operating Voltage 180-300V AC, 50Hz | Wide Beam Angle

Product Code	LEDs (Per Meter)	Voltage	Wattage Per Meter	PCB Width (mm)	Roll Size (mtr)	Standard Packing	Color Temperature
LD-77-120-50*	**2835-120LED**	240V DC	**11W**	6	50	4	
LD-77-120-100*	**2835-120LED**	240V DC	**11W**	6	100	1	
LD-77-120T-18*	**2835-120LED**	240V DC	**11W**	6	18	4	TIRANGA
LD-77-48M-10*	**2835-48LED**	240V DC	**5W**	10	10	5	Multicolor
LD-77-120M-50*	**2835-120LED**	240V DC	**11W**	10	50	1	Multicolor

***Note*:** *1 year warranty.*

Sera Rope Light Accessories
Sera Ropelight Power Supply 4A
Sera Ropelight Power Supply 8A
Sera Ropelight Multicolor Power Supply 4A
Sera Ropelight Connector Pin



Aris Plus Rope Light Series

'Light Up Every Moment'



IP 65 Compliance | Operating Voltage 180-300V AC, 50Hz | Wide Beam Angle

Product Code	LEDs (Per Meter)	Voltage	Wattage Per Meter	PCB Width (mm)	Roll Size (mtr)	Standard Packing	Color Temperature
LD-178-9W-50M*	**2835-120LED**	200-300V AC	**8.6W**	6.8	50	4	

Aris Plus Rope Light Accessories
Aris Plus Rope Power Supply 4A*
Aris Plus Rope Connector Pin*

***Note*:** *1 year warranty.*



Jugnu String Lights Series

'Let The Magic Glow'



Indoor, Outdoor Use

High Brightness

Operating Voltage 130-300V AC, 50Hz

Product Code	LED Size (mm)	No. of LEDs	String Size (Metre)	Standard Packing	Color Temperature
LD-188-8-48M-10	8	48	10	50	Multicolor
LD-188-8-48R-10	8	48	10	50	R+G + R+B
LD-188-12-46-10	12	46 SMD	10	50	
LD-188-8-72-15	8	72	15	50	
LD-188-8-48-10	8	48	10	50	

Value Pro Floodlight Series

'Sleek Look, Powerful Illumination'



Surface Mount

160 lm/Watt System Lumens

CRI >80

IP 65 Compliance

Operating Voltage 180-300V AC, 50Hz

Wide Beam Angle

Product Code	Wattage (W)	Product Outer (mm)	Standard Packing	Color Temperature
LD-157-20W	**20W**	128X105X22	20	
LD-157-30W	**30W**	142X118X23	20	
LD-157-50W	**50W**	178X146X23	10	
LD-157-100W	**100W**	250X205X26	6	

ProLine Profiles

'Style in Every Line.
Light in Every Inch'



Aluminium Body | Uniform Diffused Lighting | Customizable Length | Easy Installation

Product Code	Material	Lenth (m)	Measurement (mm)	Type	Standard Packing	Product Size (mm)
LD-178-17C	Metal	2M	23x15.8x6.7	Concealed	100	
LD-178-17CB		2M		Concealed	100	
LD-178-17S	Metal	2M	15.8x15.8x6.7	Surface	100	
LD-178-17SB		2M		Surface	100	
LD-178-16C	Metal	2M	15.5x10.5x15.5	Corner	100	
LD-178-5S	Metal	2M	7.8x5.6x9	Surface	200	
LD-178-5C	Metal	2M	11.2x7.6x9	Concealed	200	
LD-178-25C	Metal	2M	30.2x23x9.6	Concealed	100	
LD-178-25CC	Metal	2M	35x24.6x24.8	Concealed	36	

Mosquito Racquet Series



- Instant Kill
- Long Lasting Battery
- Rechargeable Battery
- Better Coverage
- Triple Layer Mesh
- Plastic Body

Product Code	Product Name	Voltage	Battery Life	Standard Packing	Input
LD-MRES-04*	E-Shastra	**3600V DC**	**400mAH**	60	240V AC
LD-MRUS-05*	U-Shastra	**3400V DC**	**500mAH**	30	240V AC
LD-MRDCS-06*	DC-Shastra	**2500V DC**	**500mAH**	20	5V DC

***Note*:** *6 months warranty.*



Built to Keep You *Secure*

LEDURE

LIGHTS | WIRES | SWITCHES | MCBs

Manufactured at

LEDURE LIGHTINGS LIMITED

A-40, Sector-58, Noida, Gautam Buddha Nagar,
Uttar Pradesh, 201301

Registered Office

LEDURE LIGHTINGS LIMITED

115, 1st floor, Devika Tower, Nehru Place,
New Delhi, 110019

Branch Offices

Pune • Kolkata • Patna • Jaipur
Guwahati • Lucknow • Hyderabad

BEST BRANDS® 2025 | ET NOW | An Initiative by THE TIMES GROUP

Recognised as one of the **Best Brands 2025**
at **ET NOW** Best Brands Conclave